

## **BWT-210**

### **STEAM BOILER ALKALINITY SUPPLEMENT**

#### **DESCRIPTION:**

BWT-210 is a liquid hydroxide alkaline compound. BWT-210 should be used as a supplement to a balanced water treatment program where additional OH alkalinity is required.

#### **GENERAL APPLICATIONS:**

Dosages will vary depending upon the alkalinity and hardness of the boiler feedwater. For optimum results, the recommendations of your KML Technical Representative should be followed.

#### **SAFETY & HANDLING:**

Improper handling of this product can be injurious to workers. Observe all safety precautions shown on the label and in the Material Safety Data Sheet. Wear proper protective equipment listed on the MSDS. Follow the instructions of your KML Representative in the proper use of this product.

#### **ADVANTAGES:**

- Provides for independent control of boiler OH alkalinity level
- Helps control scale formation
- Elevates boiler water pH for corrosion inhibition
- Formulated for use in USDA applications where steam may contact food products

#### **Typical Product Characteristics**

Appearance .....Clear viscous liquid  
Density at 25°C .....1.51 – 1.54 g/ml  
Weight per US gallon .....12.7 lbs/gal  
pH of product .....> 12.5

#### **PACKAGING:**

BWT-210 is available in non-returnable, DOT approved, 55, 30 and 15-gallon plastic drums and 5 gallon plastic pails.

